

# Manjaro i3 - GitKraken failing due to unset SSH\_AUTH\_SOCK

I came across on an annoying issue with the `SSH_AUTH_SOCK` variable not being set correctly on my Manjaro i3wm work machine. This is an issue as the variable needs to be set in order to use GitKraken properly. It turns out that the software wasn't even being correctly loaded in the first place on the community i3 version of Manjaro probably due to the minimalist intended design so I set out to fix that.

First of all we actually need `gnome-keyring` so using a terminal run `pacman -S gnome-keyring` to install it.

Next up we need to make some PAM changes so following this guide on the Arch Linux forums I changed the following file:

```
# /etc/pam.d/login
#%PAM-1.0
auth      required      pam_securetty.so
auth      requisite     pam_nologin.so
auth      include       system-local-loginauth      optional
pam_gnome_keyring.so          #<-- Add this line account    include      system-local-login
session   include       system-local-login
session   optional      pam_gnome_keyring.so auto_start  #<-- Add this line
```

The two important lines highlighted in the file load the gnome keyring pam libraries.

Next we need to add a few lines to the `.xinitrc` file which can be found in your user's home.

```
# /home/user/.xinitrc
# get_session(){
#     ... bla ...
```

```
# }  
...  
# Start Gnome keyring  
dbus-update-activation-environment --systemd DISPLAYeval $(/usr/bin/gnome-keyring-daemon --  
start --components=pkcs11,secrets,ssh)  
export SSH_AUTH_SOCK  
...# exec ...
```

The lines between the dots are added just after the `get_session()` function but before the `exec` call to start i3wm. An extra line is also needed in the form of a `dbus-update` call for i3wm specific reasoning.

After that is sorted we need to add a few lines to the Bash `.profile` file in order to export the variable for Bash sessions.

```
# /home/user/.profile  
# At the bottom of the file  
# ...  
# Start gnome ssh keyring daemon  
if [ -n "$DESKTOP_SESSION" ];then    eval $(/usr/bin/gnome-keyring-daemon --start --  
components=pkcs11,secrets,ssh)  
    export SSH_AUTH_SOCKfi°
```

At the bottom of the file add the above 5 lines which makes sure that the keyring daemon is actually running and exports the variable we require for GitKraken (and various other programs).

You can now safely restart the system or logout and back in again to load everything up and we should be good to go. We can of course test this by echoing out the variable in the terminal like so:

```
[user@machine ~]$ echo $SSH_AUTH_SOCK/run/user/1000/keyring/ssh
```

---

Revision #1

Created Sat, Dec 22, 2018 1:01 AM by Kore

Updated Sat, Dec 22, 2018 1:31 AM by Kore